					r	Measure Informat	ion		Worl	kgroup information	on			Meas	ure Selection	Criteria			
	#	Measure Name	NQF#	Steward	Domain	Category	Data Source	Description	Measure Status	Measure Origin	Unit of Analysis	Based on readily available data	Nationally- vetted (e.g. NQF endorsed)	Aligned with measures in other WA and national measure sets	Significant potential to positively impact health outcomes	Significant potential to reduce costs	Sufficient denominator size	If provider- focused, the provider can impact the outcome	Notes about the Measure/ Measure Complexities
2:		Cervical Cancer Screening (CCS)	0032	NCQA	Prevention	Adult Screening(s)	Claims only	Percentage of women 21-64 years of age who received PAP test to screen for cervical cancer. (interval every 3 years)	Yes	Aligned									
2		Chlamydia Screening (CHL)	0033	NCQA	Prevention	Adult Screening(s)	Claims	Percentage of women ages 16 to 24 that were identified as sexually active and had at least one test for Chlamydia during the measurement year	Yes	Aligned									
2		Colorectal Cancer Screening (COL)	0034	NCQA	Prevention	Adult Screening(s)	Claims	Percentage of adults 50-75 years of age who had appropriate screening for colorectal cancer.	Yes	Aligned									
2		Breast Cancer Screening (No longer NQF endorsed)	NA	NCQA	Prevention	Adult Screening(s)	Claims	The percentage of women 50–74 years of age who had a mammogram to screen for breast cancer. (interval = 1x/27 months) (2015 HEDIS specifications)	Yes	request									
1		Well-Child Visits in the 3rd, 4th, 5th, and 6th Years of Life (W34)	1516	NCQA	Prevention	Childhood: early and adolescent well-care	Claims	Percentage of children ages 3 to 6 that had one or more well-child visits with a PCP during the measurement year	Yes	Aligned									
2:		Child and Adolescent Access to Primary Care Practitioners (CAP)	NA	NCQA	Prevention	Childhood: early and adolescent well-care	Claims	Percentage of children and adolescents ages 12 months to 19 years that had a visit with a PCP, including four separate percentages: Children ages 12 to 24 months and 25 months to 6 years who had a visit with a PCP during the measurement year Children ages 7 to 11 years and adolescents ages 12 to 19 years who had a visit with a PCP during the measurement year or the year prior to the measurement year	Yes	Aligned									
2!		Substance Use Disorders: Screening for Depression Among Patients with Substance Abuse or Dependence	NA	CMS	Prevention	Drug and Alcohol Use	Claims or Registry	Percentage of patients aged 18 years and older with a diagnosis of current substance abuse or dependence who were screened for depression within the 12-month reporting period	Not yet considered	Referred by the Chronic work group									
2!		Adult depression in primary care: percentage of patients with cardiovascular disease with documentation of screening for major depression or persistent depressive disorder using PHQ-2.	NA	Institute for Clinical Systems Improvement	Prevention	Drug and Alcohol Use	Electronic health/ medical record	This measure is used to assess the percentage of patients 18 years and older with cardiovascular disease with documentation of screening for major depression or persistent depressive disorder using Patient Health Questionnaire-2 (PHQ-2).	Not yet considered	Referred by the Chronic work group									

				r	/leasure Informati	ion		Worl	kgroup information	on			Meas	ure Selection	Criteria			
	# Measure Name	NQF#	Steward	Domain	Category	Data Source	Description	Measure Status	Measure Origin	Unit of Analysis	Based on readily available data	Nationally- vetted (e.g. NQF endorsed)	Aligned with measures in other WA and national measure sets	Significant potential to positively impact health outcomes	Significant potential to reduce costs	Sufficient denominator size	If provider- focused, the provider can impact the outcome	Notes about the Measure/ Measure Complexities
26	Adult depression in primary care: percentage of patients with type 2 diabetes with documentation of screening for major depression or persistent depressive disorder using PHQ-2.	NA	Institute for Clinical Systems Improvement	Prevention	Drug and Alcohol Use		This measure is used to assess the percentage of patients 18 years and older with type 2 diabetes with documentation of screening for major depression or persistent depressive disorder using Patient Health Questionnaire-2 (PHQ-2).	Not yet considered	Referred by the Chronic work group									
24	Childhood Immunization Status (CIS)	0038	NCQA	Prevention	Immunizations	WA IIS	Percentage of children that turned 2 years old during the measurement year and had specific vaccines by their second birthday	Yes	Aligned									
14		0041	AMA-PCPI	Prevention	Immunizations	WA IIS	Percentage of patients aged 6 months and older seen for a visit between October 1 and March 31 who received an influenza immunization OR who reported previous receipt of an influenza immunization	Yes	Aligned (MSSP)									
18	Pneumonia Vaccination Status for Older Adults (PNU)	0043	NCQA	Prevention	Immunizations	WA IIS	Percentage of patients 65 years of age and older who have ever received a pneumococcal vaccine.	Yes	GSK request, Member request: Janet Piehl									
22	Papillomavirus (HPV) Vaccine for Female Adolescents	1959	NCQA	Prevention	Immunizations	WA IIS	Percentage of female adolescents 13 years of age who had three doses of the human papillomavirus (HPV) vaccine by their 13th birthday.	Yes	GSK request, Member Request: Joan Brewster									
2	Adolescent Immunization Status (AIS)	1407	NCQA	Prevention	Immunizations	WA IIS	Percentage of adolescents that turned 13 years old during the measurement year and had specific vaccines by their 13th birthday	Yes	Opportunities Analysis									
28	Adult obesity: The percentage of adults with a BMI of 30 or higher	NA	Behavioral Risk Factor Surveillance System (BRFSS)		Nutrition/ Physical Activity/ Obesity		The percentage of adults with a BMI of 30 or higher. The BMI is collected through the Behavioral Risk Factor Surveillance System (BRFSS).	Not yet considered	New addition per workgroup request									
28	Youth obesity: the percentage of students who are in the top 5% for body mass index	NA	Healthy Youth Survey	Prevention	Nutrition/ Physical Activity/ Obesity	Survey, AskHYS.net reports the percentage of students who are in the top 5% for body mass index* by age and gender as "Obese"	The percentage of students who are in the top 5% for body mass index in the 8th, 10th, and 12th grade	Not yet considered	New addition per workgroup request									

				N	Aeasure Informati	on		Worl	kgroup information	on			Meas	ure Selection	Criteria			
#	Measure Name	NQF#	Steward	Domain	Category	Data Source	Description	Measure Status	Measure Origin	Unit of Analysis	Based on readily available data	Nationally- vetted (e.g. NQF endorsed)	Aligned with measures in other WA and national measure sets	Significant potential to positively impact health outcomes	Significant potential to reduce costs	Sufficient denominator size	If provider- focused, the provider can impact the outcome	Notes about the Measure/ Measure Complexities
5	Adult BMI Assessment (ABA)	NA	NCQA		Nutrition/ Physical Activity/ Obesity		The percentage of members 18 to 74 years of age who had an outpatient visit and whose body mass index (BMI) was documented during the measurement year or the year prior to the measurement year.	HOLD	Aligned									
147	Obese: Students who were >=95th Percentile for BMI (based on 2000 CDC Growth Charts)	NA	Youth Risk Behavior Surveillance System (YRBSS)		Nutrition/ Physical Activity/ Obesity	Survey	Obese: Students who were >=95th Percentile for BMI (based on 2000 CDC Growth Charts)	HOLD	Measure Library									
219		1382	CDC	Prevention	Obstetrics	Claims		Not yet considered	Measure Library									
235	Low Birth Weight Rate (PQI 9)	0278	Agency for Healthcare Research and Quality	Prevention	Obstetrics	Claims	Low birth weight (< 2,500 grams) infants per 1,000 newborns. Excludes transfers from other institutions.	Not yet considered	Member Request: Ian Corbridge									
282	Unintended pregnancies	NA	NA	Prevention		Risk Assessment	Percent of pregnancies that were unintended at time of conception. This does have a data source through the CDC Pregnancy Risk Assessment Monitoring System (PRAMS), which is collected by Department of Health at the state level.	Not yet considered	Member Request: Jennifer Allen									
283	Percent of women consistently using a birth control method.	NA	NA	Prevention	Obstetrics	unknown	Percent of women consistently using a birth control method.	Not yet considered	Member Request: Jennifer Allen									
H-65	PC-05: Exclusive breast milk feeding PC-05a: Exclusive breast milk feeding considering mother's choice	0480	The Joint Commission	Prevention		Clinical	PC-05 assesses the number of newborns exclusively fed breast milk during the newborn's entire hospitalization and a second rate, PC-05a which is a subset of the first, which includes only those newborns whose mothers chose to exclusively feed breast milk. This measure is a part of a set of five nationally implemented measures that address perinatal care.	Not yet considered	Member Request: Kyle Unland									
159	Breastfeeding – Initiation and duration measure with TBD specifications	NA	Homegrown	Prevention	Obstetrics	Clinical Data		Not yet considered	Member Request: Kyle Unland									
155	Children Who Received Preventive Dental Care	1334	Maternal and Child Health Bureau, Health Resources & Services Administration		Oral Health	Survey	Percentage of children who had one or more preventive dental visits in the past 12 months.	Not yet considered	Member Request: lan Corbridge									

				ı	Measure Informa	ition		Wor	kgroup information	on			Meas	sure Selection	Criteria			
#	Measure Name	NQF#	Steward	Domain	Category	Data Source	Description	Measure Status	Measure Origin	Unit of Analysis	Based on readily available data	Nationally- vetted (e.g. NQF endorsed)	Aligned with measures in other WA and national measure sets	Significant potential to positively impact health outcomes	Significant potential to reduce costs	Sufficient denominator size	If provider- focused, the provider can impact the outcome	Notes about the Measure/ Measure Complexities
154	Children Who Have Dental Decay or Cavities	1335	Maternal and Child Health Bureau, Health Resources & Services Administration	Prevention	Oral Health	Survey	Assesses if children age 1-17 years have had tooth decay or cavities in the past 6 months	Not yet considered	Member Request: Ian Corbridge									
223	Annual Dental Visits (ADV)	1388	NCQA	Prevention	Oral Health	Claims	Percentage of patients 2-21 years of age who had at least one dental visit during the measurement year. This measure applies only if dental care is a covered benefit in the organization's Medicaid contract.	Not yet considered	Member Request: Ian Corbridge									
157	Primary Caries Prevention Intervention as Part of Well/III Child Care as Offered by Primary Care Medical Providers	1419	University of Minnesota	Prevention	Oral Health	Claims	The measure will a) track the extent to which the PCMP or clinic (determined by the provider number used for billing) applies FV as part of the EPSDT examination and b) track the degree to which each billing entity's use of the EPSDT with FV codes increases from year to year (more children varnished and more children receiving FV four times a year according to ADA recommendations for high-risk children).		Member Request: Ian Corbridge									
240	Sealants in 6 – 9 years	NA	Dental Quality Alliance	Prevention	Oral Health	Claims	Percentage of a. enrolled children b. enrolled children who received at least one [dental/oral health] service in the age category of 6-9 years at "elevated" risk (e.g. "moderate" or "high") who received a sealant on a permanent first molar tooth within the reporting year	Not yet considered	Member request: Mark Koday									
241	Sealants in 10 – 14 years	NA	Dental Quality Alliance	Prevention	Oral Health	Claims	Percentage of a. enrolled children b. enrolled children who received at least one [dental/oral health] service in the age category of 10-14 years at "elevated" risk (e.g. "moderate" or "high") who received a sealant on a permanent second molar tooth within the reporting year.	Not yet considered	Member request: Mark Koday									
242	Topical Fluoride Intensity for Children at Elevated Caries Risk	NA	Dental Quality Alliance	Prevention	Oral Health	Claims	Percentage of a. all enrolled children b. enrolled children who received at least one dental service who are at "elevated" risk (i.e. "moderate" or "high") who received (1, 2, 3, >4) topical fluoride applications within the reporting year.	Not yet considered	Member request: Mark Koday									
243	Preventive Services for Children at Elevated Caries Risk	NA	Dental Quality Alliance	Prevention	Oral Health	Claims	Percentage of a. all enrolled children b. enrolled children who received at least one dental service who are at "elevated" risk (i.e., "moderate" or "high") who received a topical fluoride application and/or sealants within the reporting year.	Not yet considered	Member request: Mark Koday									

						/leasure Informat	ion		Worl	kgroup informatio	on			Meas	ure Selection	Criteria			
	#	Measure Name	NQF#	Steward	Domain	Category	Data Source	Description	Measure Status	Measure Origin	Unit of Analysis	Based on readily available data	Nationally- vetted (e.g. NQF endorsed)	Aligned with measures in other WA and national measure sets	Significant potential to positively impact health outcomes	Significant potential to reduce costs	Sufficient denominator size	If provider- focused, the provider can impact the outcome	Notes about the Measure/ Measure Complexities
27		Examinations and Oral Health Examinations	NA	unknown	Prevention	Oral Health	Claims	The Examinations and Oral Health Evaluations measure estimates the percentage of children who: received a comprehensive or periodic oral health evaluation or, for children under 3 years of age, those who received an oral evaluation and counseling with the primary care giver in the measurement year.		Member request: Mark Koday									
2:		Preventive Dental Services (PDS).	NA	California Managed Risk Medical Insurance Board (MRMIB)	Prevention	Oral Health	Claims	The Preventive Dental Services measure estimates the percentage of children that received any preventive dental service in the measurement year. These services include teeth cleaning, topical fluoride application, nutritional counseling or oral hygiene instruction. Measure includes subscribers enrolled for at least 11 of the 12 months in 2012 (denominator) who received any preventive dental service (D1000-D1999) in 2012 (numerator).	Not yet considered	Member request: Mark Koday									
21		Continuity of Care (COC).		California Managed Risk Medical Insurance Board (MRMIB)	Prevention	Oral Health	Claims	The Continuity of Care measure estimates the percentage of children who were enrolled in the same plan for two years with no gap in coverage and received a comprehensive oral evaluation or a prophylaxis in the year prior to the measurement year and in the measurement year. Measure includes subscribers continuously enrolled in the same plan for 2 years with no gap in coverage who received a comprehensive or periodic oral health evaluation (D0120, D0150) or a prophylaxis (D1110, D1120) in 2011 (denominator) and who received a comprehensive or periodic oral health evaluation (D0120, D0150) or a prophylaxis (D1110, D1120) in 2012 (numerator).	Not yet considered	Member request: Mark Koday									
27		Filling to Preventive Services Ratio (FPSR).	NA	California Managed Risk Medical Insurance Board (MRMIB)	Prevention	Oral Health	Claims	The Filling to Preventive Services Ratio measure estimates the percentage of children who had one or more fillings in the past year and who received a topical fluoride or sealant application in the measurement year, preventive services that are recommended for children at high risk of caries. Measure includes subscribers enrolled for at least 11 of the 12 months of 2012 who received one or more fillings (D2000-D2999) in 2011 (denominator) and who also received a topical fluoride (D1203, D1204 or D1206), a sealant application (D1351, D1352) or education to prevent caries (D1310 and D1330) in 2012 (numerator).		Member request: Mark Koday									

				N	Measure Informa	tion		Worl	group information	on			Meas	ure Selection	Criteria			
#	Measure Name	NQF#	Steward	Domain	Category	Data Source	Description	Measure Status	Measure Origin	Unit of Analysis	Based on readily available data	Nationally- vetted (e.g. NQF endorsed)	Aligned with measures in other WA and national measure sets	Significant potential to positively impact health outcomes	Significant potential to reduce costs	Sufficient denominator size	If provider- focused, the provider can impact the outcome	Notes about the Measure/ Measure Complexities
274	Use of Dental Treatment Services (UDTS)	NA	California Managed Risk Medical Insurance Board (MRMIB)	Prevention	Oral Health	Claims	The Utilization of Dental Treatment Services measure estimates the percentage of children who received any dental treatment service, other than diagnostic or preventive services, in the measurement year. Measure includes subscribers enrolled for at least 11 of the 12 months of 2012 (denominator) who received any dental treatment other than diagnostic or preventive services (D2000-D9999) in 2012 (numerator).	Not yet considered	Member request: Mark Koday									
275	Treatment/Preventio n of Caries (TPC)	NA	California Managed Risk Medical Insurance Board (MRMIB)	Prevention	Oral Health	Claims	Measure includes subscribers enrolled for at least 11 of the past 12 months of 2012 (denominator) who received a treatment for caries (D2000-D2999) or a caries preventive procedure (D1203, D1204, D1206, D1310, D1330, or D1351) in 2012 (numerator).	Not yet considered	Member request: Mark Koday									
276	Overall Utilization of Dental Services (OUDS)	NA	California Managed Risk Medical Insurance Board (MRMIB)	Prevention	Oral Health	Claims	Measure includes subscribers continuously enrolled in the same plan in 2009, 2010, 2011 and 2012 (denominator) who received any dental service (D0100-D999), including preventive services, during 2009, 2010, 2011 and 2012 (numerator).	Not yet considered	Member request: Mark Koday									
277	Access to Regular Dentist	NA	CAHPS	Prevention	Oral Health	Survey	Dental Consumer Assessment of Healthcare Providers and Systems (D-CAHPS): The survey section Your Child's Regular Dentist defines a regular dentist as one "your child would go to for check-ups and cleanings, or when your child has a cavity or tooth pain."	Not yet considered	Member request: Mark Koday									
278	Rating of Child's Regular Dentist	NA	CAHPS	Prevention	Oral Health	Survey	Dental Consumer Assessment of Healthcare Providers and Systems (D-CAHPS): Families reporting that their child had a regular dentist were asked to rate their child's dentist on a scale of 0-10, "where 0 is the worst rating possible and 10 is the best rating possible."		Member request: Mark Koday									
279	Rating of Child's Dental Plan	NA	CAHPS	Prevention	Oral Health	Survey	Dental Consumer Assessment of Healthcare Providers and Systems (D-CAHPS): The survey section Your Child's Dental Plan asks the parent to rate their child's dental plan on a scale of 0-10, "where 0 is the worst dental plan possible and 10 is the best dental plan possible."	•	Member request: Mark Koday									
280	Overall Condition of Child's Teeth and Gums	NA	CAHPS	Prevention	Oral Health	Survey	Dental Consumer Assessment of Healthcare Providers and Systems (D-CAHPS): The survey section About Your Child begins by asking parents, "In general, how would you rate the overall condition of your child's teeth and gums?"	Not yet considered	Member request: Mark Koday									

				1	Measure Informat	ion		Wor	kgroup information	on			Meas	sure Selection	Criteria			
4	# Measure Name	NQF#	Steward	Domain	Category	Data Source	Description	Measure Status	Measure Origin	Unit of Analysis	Based on readily available data	Nationally- vetted (e.g. NQF endorsed)	Aligned with measures in other WA and national measure sets	Significant potential to positively impact health outcomes	Significant potential to reduce costs	Sufficient denominator size	If provider- focused, the provider can impact the outcome	Notes about the Measure/ Measure Complexities
281	Reason For Not Visiting the Dentist	NA	CAHPS	Prevention	Oral Health	Survey	Dental Consumer Assessment of Healthcare Providers and Systems (D-CAHPS): In order to understand why families did not visit the dentist and to understand where barriers may exist, a new question was added to the survey in 2011/12 that asked why parents did not take their child to the dentist if they responded that they had not visited a dentist in the past year. Response options included perception of necessity, time off work, difficulty in locating a dentist, dentist too far away, or other.	Not yet considered	Member request: Mark Koday									
144	Intimate Partner Violence Screening	NA	Washington Pregnancy Risk Assessment Monitoring System (PRAMS)	Prevention	Safety/ Accident Prevention	Survey	"During any of your prenatal care visits, did a doctor, nurse or other health care worker ask if someone was hurting you physically or emotionally?"	Not yet considered	0									
292	Domestic Violence: experiencing domestic violence during their lifetime	NA	Behavioral Risk Factor Surveillance System (BRFSS)		Safety/ Accident Prevention	Clinical Data	Percentage of individuals that reported experiencing domestic violence during their lifetimes (by gender)	Not yet considered	Measure Library									
124	Medical Assistance With Smoking and Tobacco Use Cessation (MSC)	0027	NCQA	Prevention	Tobacco Cessation	Survey	Assesses different facets of providing medical assistance with smoking and tobacco use cessation: Advising Smokers and Tobacco Users to Quit Discussing Cessation Medications Discussing Cessation Strategies	Yes	Opportunities Analysis									
287	Current cigarette use: Students in 6th, 8th, 10th and 12th grade	NA	Healthy Youth Survey	Prevention	Tobacco Cessation	Survey	Percentage of 6th, 8th, 10th and 12th graders who answer any days to the question "During the past 30 days, on how many days did you: smoke cigarettes?"		New addition per workgroup request									
288	Current smokeless tobacco use: Students in 6th, 8th, 10th and 12th grade	NA	Healthy Youth Survey	Prevention	Tobacco Cessation	Survey	Percentage of 6th, 8th, 10th and 12th graders who answer any days to the question "During the past 30 days, on how many days did you: use chewing tobacco, snuff, or dip?"		New addition per workgroup request									
289	Current cigar use: Students in 6th, 8th, 10th and 12th grade	NA	Healthy Youth Survey	Prevention	Tobacco Cessation	Survey	Percentage of 6th, 8th, 10th and 12th graders who answer any days to the question "During the past 30 days, on how many days did you: smoke cigars, cigarillos, or little cigars?"		New addition per workgroup request									
290	Current Current candy flavored tobacco use: Students in 6th, 8th, 10th and 12th grade	NA	Healthy Youth Survey	Prevention	Tobacco Cessation	Survey	Percentage of 6th, 8th, 10th and 12th graders who answer any days to the question "Not including menthols: During the past 30 days on how many days did you use tobacco that tastes like candy, fruit or alcohol (tobacco includes: little cigars, bidis, cloves, chew, spit, snus, hookah?)"	Not yet considered	New addition per workgroup request									

				N	/leasure Informati	on		Wor	kgroup information	on			Meas	sure Selection	Criteria			
	Measure Name	NQF#	Steward	Domain	Category	Data Source	Description	Measure Status	Measure Origin	Unit of Analysis	Based on readily available data	Nationally- vetted (e.g. NQF endorsed)	Aligned with measures in other WA and national measure sets	Significant potential to positively impact health outcomes	Significant potential to reduce costs	Sufficient denominator size	If provider- focused, the provider can impact the outcome	Notes about the Measure/ Measure Complexities
291	Relationship betweer Poor Grades and Cigarette Smoking: Students in 6th, 8th, 10th and 12th grade		Healthy Youth Survey	Prevention	Tobacco Cessation	Survey	Percentage of 6th, 8th, 10th and 12th graders who are getting "Mostly C's, D's or F's and if they were "smoker" or if they "non-smoker".	Not yet considered	New addition per workgroup request									
4	Adult Access to Preventive/Ambulato ry Health Services (AAP)		NCQA	Prevention	Utilization		The percentage of members 20 to 44 years, 45 to 64 years, and 65 years and older who had an ambulatory or preventive care visit. The organization reports three separate percentages for each age stratification and product line (commercial, Medicaid and Medicare) and a total rate: • Medicaid and Medicare members who had an ambulatory or preventive care visit during the measurement year • Commercial members who had an ambulatory or preventive care visit during the measurement year or the two years prior to the measurement year	Not yet considered	Aligned									